20CM

6.6CM

6.6CM

11CM

6.6CM

11CM

NITRILE EXAMINATION GLOVE
POWDER FREE

L

STERILEMATE
Medical, Dental, & Industrial Supplies

100 PCS (by weight)

Blue

Chemotherapy Drugs Tested:			
1	Carmustine	3.3 mg/ml (3,300 ppm)	22.7 min
2	Cisplatin	1 mg/ml (1000 ppm)	>240min.
3	Cyclophosphamide	20 mg/ml (20,000 ppm)	>240min.
4	Dacarbazine (DTIC)	10mg/ml (10,000 ppm)	>240min
5	Doxorubicin Hydrochloride	2mg/ml (2,000 ppm)	>240min
6	Etoposide	20 mg/ml (20,000 ppm)	>240min
7	Fluorouracil	50 mg/ml (50,000 ppm)	>240min.
8	Vincristine Sulfate	1 mg/ml (1,000 ppm)	>240min
9	Methotrexate	25 mg/ml (25,000 ppm)	>240min
10	Mitomycin C	0.5 mg/ml (500 ppm)	>240min
11	Mitoxantrone HCL	2 mg/ml (2,000 ppm)	>240min
12	Paclitaxel (Taxol)	6 mg/ml (6,000 ppm)	>240min
13	Thio-Tepa	10 mg/ml (10,000 ppm)	11.1 min
	Fentanyl Citrate		>240min

Intended Use:
Nitrile Examination Gloves are non-sterile disposable device intended for medical purpose that is worn on the examiner's hand or finger to prevent contamination between patient and examiner.

Material:
This product is made from synthetic nitrile polymer, not made with natural rubber latex.

Instructions to use:
1 - Thoroughly wash hands and take a glove from the box.
2 - Hold with one hand & insert the other, check for a secure fit around the fingers and palm.
3 - Check to make sure there are no holes or tears.

Storage:
- Store in dry, cool place with the temperature from 10°C - 30°C.
- Keep away from direct sunlight, fluorescent lighthing and X-rays.
- Recommend storing in the original package.

LOT **LOT Number:**

Manufacture Date:

Expiry Date:

Manufactured in: **Vietnam**

Distributed by: **Sterile Mate**

STERILEMATE Medical, Dental, & Industrial Supplies

Office: 15535 West Hardy Road, Houston, TX 77060
Telephone: 800.988.3892
Email: info@sterilemate.com
Website: sterilemate.com

Tested to ASTM D 6319-10 Tested for use against chemotherapy drugs using ASTM D 6978

NON STERILE LATEX MD

WARNING:
Do not use with Carmustine and Thiotepa
Please note that the following drugs have extremely low permeation times
Carmustine: 22.7 minutes and Thiotepa 11.1 minutes
more information on the chemotherapy test result and information
Please call: 800.988.3892

Caution:
- Used glove may be contaminated, and should be safely disposed of according to the local government regulations.
- Discard the glove, do not use if you see any sign of damage.

NITRILE EXAMINATION GLOVE
POWDER FREE

L

STERILEMATE
Medical, Dental, & Industrial Supplies

100 PCS (by weight)

Blue

Chemotherapy Drugs Tested:			
1	Carmustine	3.3 mg/ml (3,300 ppm)	22.7 min
2	Cisplatin	1 mg/ml (1000 ppm)	>240min.
3	Cyclophosphamide	20 mg/ml (20,000 ppm)	>240min.
4	Dacarbazine (DTIC)	10mg/ml (10,000 ppm)	>240min
5	Doxorubicin Hydrochloride	2mg/ml (2,000 ppm)	>240min
6	Etoposide	20 mg/ml (20,000 ppm)	>240min
7	Fluorouracil	50 mg/ml (50,000 ppm)	>240min.
8	Vincristine Sulfate	1 mg/ml (1,000 ppm)	>240min
9	Methotrexate	25 mg/ml (25,000 ppm)	>240min
10	Mitomycin C	0.5 mg/ml (500 ppm)	>240min
11	Mitoxantrone HCL	2 mg/ml (2,000 ppm)	>240min
12	Paclitaxel (Taxol)	6 mg/ml (6,000 ppm)	>240min
13	Thio-Tepa	10 mg/ml (10,000 ppm)	11.1 min
	Fentanyl Citrate		>240min

NITRILE EXAMINATION GLOVE
POWDER FREE

L

STERILEMATE
Medical, Dental, & Industrial Supplies

100 PCS (by weight)

Blue

- SINGLE USE ONLY
- NON-STERILE
- FINGERTIP TEXTURED
- AMBIDEXTROUS
- EXAMINATION GRADE
- TESTED FOR CHEMOTHERAPY USE
- TESTED FOR FENTANYL EXPOSURE

POWDER FREE

4mil
100 PCS (by weight)
L

STERILEMATE
Keeping You Safe

Blue

100 PCS (by weight)

STERILEMATE
Keeping You Safe

Blue

100 PCS (by weight)